

SGW

TEZ BOIS AUTOMNE DE CHENY
ZAVOIS PARIS CLICHY 17

84
87 SNCF
583 027-3/P
Ealmo
22000

SNCF A | B1 | B2 | C
100 42 | 43 | 50 | 58

TH

CAPACITE 36 m³
TRANSPORT DE HUIILLE
GARE D'ATTACHE : JOIGNY

< 2,30

1,50 m

VTG France SAS
TRANSPORT DE HUIILLE
30 AVENUE DU MARÉCHAL
75791 PARIS CEDEX 15
TEL : 01 46 42 21 05
FAX : 01 46 42 21 07
E-mail : vtf@vtf.fr
TRANSPORT DE

SiGra

NBB

1





ADR RIO TRANS PR
CL-341-51-61-8 L4BH

CTKU 32710 5

CAPACIDAD NOMINAL 32500 lts
MAX GROSS 71.161 kg
PESO MAX. 35.000 kg
TARA 5.880 kg
TARE

www.containR.com
ellbisbal (Barcelona)



6 REV 925 30.04.04+3M

5

SCHMIEREN

6

(8C)

1.8m



(80 V)

2

$\Delta 1^{\circ} 30'$

R 75 m

NICHT SCHMIEREN

1.8m



NACCO

33 RIV

87 F-NACCO

791 5 037 - 8P

← 16.64 m →

NACCO S.A.

40 Rue La Boétie
F - 75008 PARIS
TEL : +33 (0)1 45 61 56 20
FAX : +33 (0)1 53 75 06 57
E-Mail : nacco@naccorail.com



TRANSPORT DE

AMMONIAC ANHYDRE
A B C
S 335t A 15t 495t

30490kg


27.0t

34.920t



268

1005







NACCO

33 RIV
56 SK-NACCO
0808 206-1

Eaos

R7

33560808206-1

A	B ₁	B ₂	C
120	40.4	47.0	24.4
00.0	5.4	5.4	5.4

12.8m
72.0m²
35.0m

27.600kg
20.0t
14.04m

NACCO
TEL: +33(0)1 45 51 58 20
FAX: +33(0)1 53 75 06 57
E-mail: nacco@nacconet.com
GARE D'ATTACHE:
PARIS LA CHAPELLE

KE-GP



7406

VFLI CARGO

MREV 20.03.05

 caib

JNA
34 t tare 22.660 kg
CAIB.3981

CAIB
3981

VTA GAP 56 mm

MINIMUM CURVE
70 METRES *

I.C.D. I.C.R.

3

- 2.00m -

TRASFEIMER s.p.a.

16122 Genova-Via Palestro 29/10
tel.+39 010 8398790 - fax +39 010 872197
info@trasfeimer.it

33 RIV
80 D-TRAS
7818 866-5
Zags
Bf: Maschen Rbf



S	A	B	C	D
120	29,2	37,2	47,2	51,6

00,0

Propen

23
1077

34750kg
20,0t

(1202231)

19,40m →

→ 1,80m ←



6 REV MT 27.3.03 43M 3 A 03

NE DOIT CIRCULER
QUE BACHAGE
FERME VERROUILLÉ



NE PAS
TAMPONNER

→ 1.80 m ←

00 191 3120 184



26000 kg
25.4t

d

	m	t	t
a-a	2	37	40
b-b	5	42	46
c-c	9	46	46
d-d	15	46	46

6

→ 1.80m ←

8




FREIN

MARCHE VOYAGE



SKF



4 VTA GAP 14 mm

MARCOFT
ENGINEERING
STOKE-ON-TRENT

3

→ 2.00m ←

P8

ADVERTENCIA
AVVERTIMENTO
WAARSCHUWING
ADVARSEL
ADVARSEL
ADVARSEL
ADVARSEL

20538

221463

ADVERTENCIA
AVVERTIMENTO
WAARSCHUWING
ADVARSEL
ADVARSEL
ADVARSEL
ADVARSEL

20538

601

T 15 165

COP-R 211088 T

TRANSCÉRÉALES



33 RIV

87 SNCF

933 Z 454-6P CAPACITÉ 500

F=15.39t

A	B	C	SNCF U
8	3	4	5
5	1	6	5
3	4	5	4

CAF GRAINS
CHEZ CFC
Inversoir à "LE CARROUET"
TOUS PARIS CEDEX 11
Tél (11) 44 85 85 87
Fax (11) 44 85 35 00
CAF GRAINS VERNON SUR SEINE
TRANSPORTS CFC VERNON SUR SEINE

VERROUILLAGE CÔTE OPPOSÉ

V.T SP 26968

MCB
44X8
United
7224

NATIONAL
COIL SPRING
JULY 1914
U.S. PATENT

1312 124 4 22





ermewa

ERMELWA
174, RUE DE LA REPUBLIQUE
92191 PUTEAUX CEDEX FRANCE
Telephone -33 1 83.85.84.84
Telecopie -33 1 83.73.84.10
magaz@ermewa.fr

Zans 33 RIV
80 D-ERSA
7929 742-48
PARIS-BATIGNOLLES



l-17,4m-i

R 35 m









PKP CARGO
Spółka Akcyjna

Podejmowanie ruchu prowadzonego
lub zatrzymywane i zwrotnicowe



SL
UIC
MC
E

+12.50+

b
HAM-RECZNY

a	3	16
b-a	10	21
c-a	0.5	32

NH-791
HAM-SPE
20 000 6

U 4REV920 E 060 Sp
10 000 740

 Eka Nobel

Natriumklorat

33 RIV
74 GC
530 0 003-4
DOS

Scandicor AB

NEWTON
VÄSTERÅS
SWEDEN

50

1495

FIFTY ONE

Scandicor AB

NEWTON

VÄSTERÅS

SWEDEN

TRANSCEALER

80 87 979 8 311-7
CH SNCF Uas W 66 2

22 t 50 kg **R 75 m** ← 14.04 m →
29 t

RAME INDEFORMABLE B 14

**GARE D'ATTACHE:
AMBERIEU**

	A	B1	B2	C
S			40t	

102

33 RIV
87 SNCF
923 1 001-7B
l= 140m -
19,95t/m²
26,1t
80m³
A B1 B2 C
44,0 [50,0] 52,0 [60,0] ★

ALCAN IN EUROPE
ALUMINIUM SA
CH-3455 STEGVS
TRANSPORT D'ALUMINIUM
CALCIUM
CARRE D'ALUMINIUM, STEGVS

207

33 RIV
85 SBB-CFF
332 8 907-1 (B 8000)
TERRE ALUMINIUM

AIBC
S 470 556 630 **

16 654 kg
24 t

SUISSE SCHWEIZ ALUMINIUM AG
3940 STER
CH 027 933 015

DE L'ETAT DE GENEVE

ALU SUISSE



VTG

CE WAGON CIRQUE EN TRANSPORT EN SERVICE

33 RIV
87 SNCF
930 0 500-4P
← 12.50m →
Zacs
19650 kg
34.0 t (42270 t)

A	B	C
S000.t	000.t	000.t
100	000	

VTG France SAS
TOUR MAINE MONTPARNASS
33 AVENUE DU MAINE
75755 PARIS CEDEX 15
TEL : 33 (0)1 40 47 33 00
FAX : 33 (0)1 40 47 33 67
WAGON INSTRUCTION
MATERIES DANGEREUSES
GARE D'ATTACHE: JOIGNY

SNCF D
100 000

FREIN KE-GP

48

→ 1.80. ←

75 m

1/2



920 mm

2°00'

→ 14.42 m ←

← 20.0

→ 1,80 m ←



UNIFER

33 RIV
87 SNCF
796 0 234-5 P

← 125 m →

ERMELWA FERROVIAIRE
222 RUE GUY DE MAUPASSANT
30000 NIMES
TEL (+33) 04 66 29 52 22
FAX (+33) 04 66 58 65 35
E-mail: ermeawa@wanadoo.fr
GARE D'ATTACHE SECTE
TRANSPORT DE :

HUILE VÉGÉTALE

LIQUIDE ALIMENTAIRE

E-mail: ermeawa@wanadoo.fr

SNCF D
TRANSPORT DE :

A	B1	B2	C
19 500 kg	60 449 l	110 m ³	62 t

S42 s	[42 s]	52.4 l	[60.4 l]
-------	--------	--------	----------

83 87 RIV SNCF 457 7 028 -2P

← 23.128 m →

6

LJ
SNCF

SNCF

SNCF

